

## FALL 2013 General Assignment Classroom Utilization (Mediated Rooms in CAPS and Bold)

CAP= Room Seating Capacity

ENROL= Average Enrollment Size of Classes

WRP= Weekly Room Periods (Class Hours per week)

BLDG	ROOM	CAP	ENROL	PCT	WRP
aup	104	30	22	73%	45.0
aup	116	30	21	70%	39.0
<b>AUP</b>	<b>170</b>	<b>195</b>	<b>86</b>	<b>44%</b>	<b>35.0</b>
aup	191	48	17	35%	42.0
<b>BOL</b>	<b>B40</b>	<b>64</b>	<b>33</b>	<b>52%</b>	<b>42.0</b>
<b>BOL</b>	<b>B46</b>	<b>135</b>	<b>65</b>	<b>48%</b>	<b>28.0</b>
<b>BOL</b>	<b>B52</b>	<b>135</b>	<b>67</b>	<b>50%</b>	<b>31.0</b>
<b>BOL</b>	<b>B56</b>	<b>80</b>	<b>47</b>	<b>59%</b>	<b>24.0</b>
<b>BOL</b>	<b>B60</b>	<b>70</b>	<b>48</b>	<b>69%</b>	<b>32.0</b>
bol	B64	30	18	60%	39.0
bol	B68	30	19	63%	30.0
bol	B72	24	16	67%	23.0
bol	B76	24	18	75%	44.0
bol	B79	30	23	77%	45.0
bol	B80	20	18	90%	19.0
bol	B83	30	21	70%	42.0
<b>BOL</b>	<b>B84</b>	<b>42</b>	<b>27</b>	<b>64%</b>	<b>51.0</b>
bol	B87	30	18	60%	38.0
<b>BOL</b>	<b>B91</b>	<b>35</b>	<b>23</b>	<b>66%</b>	<b>42.0</b>
<b>BOL</b>	<b>B92</b>	<b>42</b>	<b>27</b>	<b>64%</b>	<b>52.0</b>
<b>BOL</b>	<b>B95</b>	<b>46</b>	<b>23</b>	<b>50%</b>	<b>46.0</b>
<b>BOL</b>	<b>150</b>	<b>470</b>	<b>243</b>	<b>52%</b>	<b>23.0</b>
bol	281	30	15	50%	37.0
bol	294	32	21	66%	40.0
bol	435	24	15	63%	38.0
bol	521	30	21	70%	27.0
bol	531	30	19	63%	27.0
bol	581	22	14	64%	22.0
bol	657	22	13	59%	24.0
bol	757	22	15	68%	19.0
bol	827	22	20	91%	20.0
chm	169	21	17	81%	37.0
<b>CHM</b>	<b>170</b>	<b>77</b>	<b>35</b>	<b>45%</b>	<b>31.0</b>
<b>CHM</b>	<b>180</b>	<b>166</b>	<b>106</b>	<b>64%</b>	<b>28.0</b>
<b>CHM</b>	<b>190</b>	<b>251</b>	<b>124</b>	<b>49%</b>	<b>45.0</b>
chm	193	25	17	68%	43.0
chm	195	25	17	68%	45.0
<b>CHM</b>	<b>197</b>	<b>46</b>	<b>23</b>	<b>50%</b>	<b>45.0</b>
crt	B12	20	15	75%	40.0
crt	103	21	18	86%	34.0
<b>CRT</b>	<b>109</b>	<b>30</b>	<b>18</b>	<b>60%</b>	<b>49.0</b>
<b>CRT</b>	<b>119</b>	<b>25</b>	<b>16</b>	<b>64%</b>	<b>42.0</b>
<b>CRT</b>	<b>124</b>	<b>35</b>	<b>24</b>	<b>69%</b>	<b>46.0</b>
<b>CRT</b>	<b>175</b>	<b>138</b>	<b>69</b>	<b>50%</b>	<b>21.0</b>
<b>CRT</b>	<b>181</b>	<b>17</b>	<b>13</b>	<b>76%</b>	<b>29.0</b>
<b>CRT</b>	<b>203</b>	<b>21</b>	<b>13</b>	<b>62%</b>	<b>41.0</b>
<b>CRT</b>	<b>209</b>	<b>30</b>	<b>17</b>	<b>57%</b>	<b>50.0</b>
<b>CRT</b>	<b>219</b>	<b>25</b>	<b>18</b>	<b>72%</b>	<b>52.0</b>
<b>CRT</b>	<b>221</b>	<b>26</b>	<b>17</b>	<b>65%</b>	<b>44.0</b>
<b>CRT</b>	<b>227</b>	<b>16</b>	<b>8</b>	<b>50%</b>	<b>34.0</b>
<b>CRT</b>	<b>303</b>	<b>21</b>	<b>15</b>	<b>71%</b>	<b>47.0</b>
crt	309	30	19	63%	43.0
<b>CRT</b>	<b>319</b>	<b>25</b>	<b>13</b>	<b>52%</b>	<b>52.0</b>
<b>CRT</b>	<b>321</b>	<b>27</b>	<b>18</b>	<b>67%</b>	<b>47.0</b>

BLDG	ROOM	CAP	ENROL	PCT	WRP
<b>CRT</b>	<b>327</b>	<b>16</b>	<b>12</b>	<b>75%</b>	<b>21.0</b>
<b>CUN</b>	<b>107</b>	<b>61</b>	<b>31</b>	<b>51%</b>	<b>33.0</b>
<b>CUN</b>	<b>151</b>	<b>165</b>	<b>87</b>	<b>53%</b>	<b>52.0</b>
<b>CUN</b>	<b>195</b>	<b>49</b>	<b>31</b>	<b>63%</b>	<b>42.0</b>
ems	E130	32	29	91%	41.0
ems	E140	32	26	81%	41.0
<b>EMS</b>	<b>E145</b>	<b>48</b>	<b>28</b>	<b>58%</b>	<b>48.0</b>
<b>EMS</b>	<b>E150</b>	<b>32</b>	<b>18</b>	<b>56%</b>	<b>54.0</b>
<b>EMS</b>	<b>E159</b>	<b>42</b>	<b>16</b>	<b>38%</b>	<b>52.0</b>
<b>EMS</b>	<b>E160</b>	<b>32</b>	<b>21</b>	<b>66%</b>	<b>41.0</b>
ems	E169	30	21	70%	40.0
<b>EMS</b>	<b>E170</b>	<b>32</b>	<b>18</b>	<b>56%</b>	<b>46.0</b>
<b>EMS</b>	<b>E180</b>	<b>162</b>	<b>72</b>	<b>44%</b>	<b>30.0</b>
<b>EMS</b>	<b>E190</b>	<b>132</b>	<b>75</b>	<b>57%</b>	<b>37.0</b>
ems	E206	30	27	90%	54.0
ems	E208	32	28	88%	46.0
ems	E212	30	28	93%	44.0
ems	E220	32	29	91%	41.0
<b>EMS</b>	<b>E225</b>	<b>42</b>	<b>23</b>	<b>55%</b>	<b>46.0</b>
ems	E228	30	26	87%	43.0
<b>EMS</b>	<b>E237</b>	<b>44</b>	<b>23</b>	<b>52%</b>	<b>47.0</b>
<b>EMS</b>	<b>E295</b>	<b>44</b>	<b>28</b>	<b>64%</b>	<b>47.0</b>
ems	W109	30	22	73%	46.0
<b>EMS</b>	<b>W110</b>	<b>27</b>	<b>15</b>	<b>56%</b>	<b>41.0</b>
ems	W119	30	28	93%	40.0
ems	W120	27	17	63%	40.0
ems	W129	30	19	63%	51.0
ems	W130	27	16	59%	43.0
<b>END</b>	<b>103</b>	<b>121</b>	<b>62</b>	<b>51%</b>	<b>48.0</b>
<b>END</b>	<b>107</b>	<b>92</b>	<b>47</b>	<b>51%</b>	<b>41.0</b>
<b>END</b>	<b>109</b>	<b>30</b>	<b>21</b>	<b>70%</b>	<b>51.0</b>
<b>END</b>	<b>110</b>	<b>42</b>	<b>23</b>	<b>54%</b>	<b>47.4</b>
<b>END</b>	<b>115</b>	<b>36</b>	<b>16</b>	<b>44%</b>	<b>56.0</b>
end	127	30	19	63%	37.0
<b>ENG</b>	<b>B38</b>	<b>35</b>	<b>17</b>	<b>49%</b>	<b>41.0</b>
<b>ENG</b>	<b>105</b>	<b>402</b>	<b>172</b>	<b>43%</b>	<b>18.0</b>
hlt	G80	20	17	85%	28.0
hlt	G84	25	21	84%	42.0
hlt	G88	25	17	68%	49.0
<b>HLT</b>	<b>G90</b>	<b>35</b>	<b>24</b>	<b>69%</b>	<b>39.0</b>
<b>HLT</b>	<b>180</b>	<b>75</b>	<b>48</b>	<b>64%</b>	<b>37.0</b>
<b>HLT</b>	<b>190</b>	<b>40</b>	<b>29</b>	<b>73%</b>	<b>52.0</b>
<b>HON</b>	<b>180</b>	<b>21</b>	<b>15</b>	<b>71%</b>	<b>30.0</b>
<b>HON</b>	<b>195</b>	<b>21</b>	<b>14</b>	<b>67%</b>	<b>27.0</b>
<b>LAP</b>	<b>N101</b>	<b>88</b>	<b>15</b>	<b>17%</b>	<b>32.0</b>
<b>LAP</b>	<b>N103</b>	<b>211</b>	<b>121</b>	<b>57%</b>	<b>30.0</b>
<b>LAP</b>	<b>160</b>	<b>126</b>	<b>60</b>	<b>48%</b>	<b>21.0</b>
<b>LAP</b>	<b>162</b>	<b>338</b>	<b>215</b>	<b>64%</b>	<b>35.0</b>
<b>LAP</b>	<b>250</b>	<b>48</b>	<b>30</b>	<b>63%</b>	<b>41.0</b>

**UW System Minimum Standards**  
67 % Seat Occupancy  
35 WRP per Week

BLDG	ROOM	CAP	ENROL	PCT	WRP
<b>LAP</b>	<b>252</b>	<b>32</b>	<b>21</b>	<b>66%</b>	<b>38.0</b>
lap	253	32	17	53%	26.0
lap	257	27	19	70%	30.0
<b>LAP</b>	<b>258</b>	<b>32</b>	<b>20</b>	<b>63%</b>	<b>52.0</b>
<b>LAP</b>	<b>260</b>	<b>48</b>	<b>28</b>	<b>58%</b>	<b>46.0</b>
<b>LUB</b>	<b>N110</b>	<b>44</b>	<b>28</b>	<b>64%</b>	<b>47.0</b>
<b>LUB</b>	<b>N116</b>	<b>48</b>	<b>33</b>	<b>69%</b>	<b>45.0</b>
<b>LUB</b>	<b>N120</b>	<b>62</b>	<b>38</b>	<b>61%</b>	<b>52.0</b>
<b>LUB</b>	<b>N126</b>	<b>53</b>	<b>42</b>	<b>38%</b>	<b>42.0</b>
<b>LUB</b>	<b>N130</b>	<b>34</b>	<b>23</b>	<b>68%</b>	<b>45.0</b>
<b>LUB</b>	<b>N140</b>	<b>329</b>	<b>181</b>	<b>55%</b>	<b>38.0</b>
<b>LUB</b>	<b>N146</b>	<b>186</b>	<b>123</b>	<b>66%</b>	<b>39.0</b>
<b>LUB</b>	<b>S151</b>	<b>175</b>	<b>101</b>	<b>58%</b>	<b>44.0</b>
<b>LUB</b>	<b>S165</b>	<b>34</b>	<b>20</b>	<b>59%</b>	<b>57.0</b>
<b>LUB</b>	<b>S171</b>	<b>52</b>	<b>41</b>	<b>79%</b>	<b>43.0</b>
<b>LUB</b>	<b>S185</b>	<b>62</b>	<b>41</b>	<b>66%</b>	<b>44.0</b>
<b>LUB</b>	<b>S191</b>	<b>47</b>	<b>30</b>	<b>64%</b>	<b>49.0</b>
<b>LUB</b>	<b>S195</b>	<b>48</b>	<b>32</b>	<b>67%</b>	<b>41.0</b>
<b>LUB</b>	<b>S220</b>	<b>46</b>	<b>30</b>	<b>65%</b>	<b>37.0</b>
<b>LUB</b>	<b>S230</b>	<b>53</b>	<b>40</b>	<b>75%</b>	<b>46.0</b>
<b>LUB</b>	<b>S231</b>	<b>33</b>	<b>20</b>	<b>61%</b>	<b>48.0</b>
<b>LUB</b>	<b>S233</b>	<b>33</b>	<b>25</b>	<b>76%</b>	<b>51.0</b>
<b>LUB</b>	<b>S241</b>	<b>46</b>	<b>28</b>	<b>61%</b>	<b>48.0</b>
<b>LUB</b>	<b>S263</b>	<b>47</b>	<b>34</b>	<b>72%</b>	<b>46.0</b>
mit	B14	33	23	70%	27.0
<b>MIT</b>	<b>191</b>	<b>107</b>	<b>40</b>	<b>37%</b>	<b>45.0</b>
<b>MIT</b>	<b>195</b>	<b>100</b>	<b>60</b>	<b>60%</b>	<b>34.0</b>
<b>MIT</b>	<b>361</b>	<b>65</b>	<b>27</b>	<b>42%</b>	<b>40.0</b>
<b>NWQ</b>	<b>G544</b>	<b>30</b>	<b>22</b>	<b>73%</b>	<b>40.0</b>
<b>NWQ</b>	<b>G558</b>	<b>24</b>	<b>18</b>	<b>75%</b>	<b>31.0</b>
<b>NWQ</b>	<b>G567</b>	<b>22</b>	<b>13</b>	<b>59%</b>	<b>27.0</b>
<b>NWQ</b>	<b>G596</b>	<b>33</b>	<b>18</b>	<b>55%</b>	<b>43.0</b>
nwq	6422	20	13	65%	22.0
<b>NWQ</b>	<b>6590</b>	<b>45</b>	<b>26</b>	<b>58%</b>	<b>43.0</b>
phy	120	36	25	69%	34.0
phy	126	26	16	62%	35.0
phy	127	44	26	59%	46.0
phy	133	130	74	57%	25.0
<b>PHY</b>	<b>135</b>	<b>126</b>	<b>85</b>	<b>67%</b>	<b>27.0</b>
phy	137	252	102	40%	15.0
phy	142	30	23	77%	38.0
phy	143	49	24	49%	27.0
phy	144	30	22	73%	42.0
<b>PHY</b>	<b>145</b>	<b>35</b>	<b>20</b>	<b>57%</b>	<b>48.0</b>
phy	146	26	15	58%	38.0
phy	147	49	29	59%	40.0
phy	149	35	28	80%	49.0
phy	151	45	27	60%	47.0
phy	152	49	25	51%	36.0
<b>PHY</b>	<b>230</b>	<b>26</b>	<b>17</b>	<b>65%</b>	<b>42.0</b>
<b>PHY</b>	<b>232</b>	<b>26</b>	<b>17</b>	<b>65%</b>	<b>37.0</b>
<b>SAB</b>	<b>G25</b>	<b>28</b>	<b>22</b>	<b>79%</b>	<b>36.0</b>
<b>SAB</b>	<b>G28</b>	<b>38</b>	<b>27</b>	<b>71%</b>	<b>40.0</b>
<b>SAB</b>	<b>G90</b>	<b>149</b>	<b>83</b>	<b>56%</b>	<b>34.0</b>

\* 42 Rooms scheduled less than 35 hrs/wk

**157 CLASSROOMS    TOTAL Seating Capacity: 9,484    Mediated Rooms: 103 (66%)**  
**AVERAGE SCHEDULED USE: 39.25 Hrs/Week    60.4% Seat Occupancy**